Appendix E

Roadway Design Standards

ROADWAY DESIGN STANDARDS (1)

URBAN DESIGN

Classification	Design Traffic	Parking	Pavement	Median	Walk and	Right-of-way
	(DHV)		width (ft)	Width (ft)	Border	Width (ft)
Arterial 6 lanes divided	2,100-3,800	None	2 at 38	16	2 at 26	120
Arterial 5 lanes divided	1,000-2,200	None	66	0	2 at 18	120
Arterial 4 lanes divided	1,000-2,200	None	2 at 26 (5)	16	2 at 15	100-120
Arterial 4 lanes undivided	1,000-2,000	None	50 (4) (5)	0	2 at 13-15	100
Arterial 3 lanes	1,000-2,000	None	42	0	2 at 16	100
Arterial 2 lanes undivided	-1,200	None	26-38	0	2 at 21-27	80
Collector	900-2,000	None	26-50 (5)	0	2 at 15-27	80
Local	<1,000	Both Sides	36	0	2 at 12	60
Local	<500	Both/ One Side	27	0	2 at 11.5	50
Local non-residential		None		0	None	60-80

RURAL DESIGN

Classification	Design Traffic (DHV)	Parking	Pavement (2) Width (ft)	Median (ft		Walk and Border	Right-of-way Width (ft)
	(DIIV)		Width (It)	Max	Min	Doruci	Width (It)
Arterial							
4-6 lanes divided	1,500-3,300	Partial	2 at 24	50	40	-	150-180
A		or none					
Arterial	1,600	Douti of	2.4	Ma			120 150
2-5 lanes undivided	-1,600	Partial or none	24	No	ne	-	120-150
unarvided		of hone					
Collector							
4-5 lanes	900-2,000	None	48	No	ne	-	110-120
Collector							4.0.0
3 lanes	900-2,000	None	36	No	ne	-	100
Collector							
2 lanes	-1,000	None	24	No	ne	_	100
2 faires	1,000	Tione	2.	110			100
Local	<1,000	None	24	No	ne	-	80
Local							
non-residential		None		No	ne	-	60-80

FULL/LIMITED ACCESS DESIGN

Classification	Design Traffic (DHV)	Controlled Access	Pavement (2) Width		n Width ft)	Walk and Border	Right-of-way Width (ft)
	(= == .)		(ft)	Max	Min		
Interstate/Freeway 6 lanes urban	>4,000	Full	2 at 38	60	40	-	300 (3)
Interstate/Freeway 4 lanes urban	2,800 - 4,400	Full	2 at 26	60	40	-	300 (3)
Interstate/Freeway 6 lanes rural	>4,000	Full	2 at 38	60	40	-	300
Interstate/Freeway 4 lanes rural	2,800 - 4,400	Full	2 at 26	60	40	-	300
Expressway/Other Freeway 6 lanes	>3,200	Partial	2 at 38	60	40	-	200
Expressway/Other Freeway 4 lanes	2,400 - 4,000	Partial	2 at 26	60	40	-	200

NOTES:

(1):

Standards for all streets are closely related to the character of abutting land uses, natural features, the volume of traffic to be accommodated, and construction requirements. Standards are applied for all new construction and for complete reconstruction projects.

(2):

Plus shoulders if no curb and gutter:

	<u>Right</u>	<u>Left (divided roadways)</u>
Interstate	10	6
Expressway	10	6
Arterial	10	2
Collector	8	NA
Local	6	NA

(3):

100 feet less if frontage roads are not required.

(4):

Plus 12 foot left-turn lanes where major left-turn movements exist.

(5) :

Eight foot parking lanes can be added to these streets if necessary and if additional right-of-way is available.